

# TRANSFORMER MOUNTS



The AMC-MECANOCAUCHO® TRANSFORMER MOUNT combines a spring and a TRANSFORMER MOUNT damper in a single compact unit. This mount is particularly useful for transformer where isolation is needed.

The internal architecture of the mount is composed of a system that bonds the rubber to both metal parts.

## TECHNICAL CHARACTERISTICS

The AMC-MECANOCAUCHO® TRANSFORMER MOUNT incorporates resilient natural rubber specifically designed to last over time.



The metal parts have a suitable anti-corrosive treatment for outdoor applications.

The load capacity shown in our catalogue is the maximum static values the transformer mount can support, with the capability of withstanding occasional extreme dynamic overload.


## APPLICATIONS

The AMC-MECANOCAUCHO® mounts have been primarily designed as transformer mounts.

The shape of the upper metal plate allows for the accommodation of the transformer wheel. This characteristic permits an easy installation without any additional fastening system.



## DRAWINGS




## DIMENSIONS

| Type  | A<br>(mm) | B<br>(mm) | C<br>(mm) | D<br>(mm) | E<br>(mm) | F<br>(mm) | G<br>(mm) | H<br>(mm) | R<br>(mm) | Weight<br>(gr) | Max. Load<br>(kg) | Code   |
|-------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------------|-------------------|--------|
| Small | 190       | 230       | 57        | 13        | 70        | 150       | 10        | 60        | 30        | 2481           | 800               | 148301 |
| Large | 290       | 328       | 88        | 13        | 100       | 250       | 10        | 70        | 30        | 5835           | 3000              | 148311 |

## Elastical properties

### NATURAL FREQUENCY

#### AMC MECANOCAUCHO® TRANSFORMER MOUNTS



### LOAD DEFLECTION GRAPH

#### AMC MECANOCAUCHO® TRANSFORMER MOUNTS

