

# COMPRESSION LIMITING CABIN WASHER



AMC-MECANOCAUCHO® Cab Mount is composed of two main metal parts. Both metal parts are bonded to a highly resilient rubber for optimum vibration isolation.

Cab mount is suitable for vibration isolation of cabins and other machines, like tractors or ATVs.

## TECHNICAL CHARACTERISTICS

Washers should be used, if the rubber surface is not covered with the contact surface

## APPLICATIONS

For the effective attenuation of vibration and noise on cabins for the following purposes:

- Agricultural Tractors.
- Construction equipment machinery
- Off road vehicles.



## DIMENSIONS

Type	Ø	Weight (gr.)	Øext (mm)	Øint (mm)	THICKNESS (mm)	Code
Cabin Mount 75 washer	16	175	76	16,5	5	608074
	20	175	76	20,5	5	610027
Cabin Mount 80 washer	16	237	90	18	5	606482
	20	237	90	20,5	5	606486
Cabin Mount 85 washer	16	237	90	18	5	606482
	20	237	90	20,5	5	606486
Cabin Mount 105 washer	16	325	110	16,5	5	611167
	20	325	110	20,5	5	606487



**AMC MECANOCAUCHO**  
 Industrialdea Zona A - Pab. 35.  
 Asteasu E-20159, Gipuzkoa  
 Spain



Tel.: +34 943 69 61 02  
 Fax: +34 943 69 62 19



sales@amcsa.es



www.mecanocaucho.com  
 www.akustik.com

## OPERATION AND ASSEMBLY



Washers should be used, if the rubber surface is not covered with the contact surface.